

IN-NR001F1/IN-NR001F1-ANT

Network Receivers



This Hanwell IceSpy network receivers collect data from multiple points within a site using standard TCP/IP communication protocols for speedy data handling.

Features

- ✓ On-board relays configured for common alarm and power failure
- √ Receives data from up to 200 IceSpy transmitters
- √ The receiver incorporates a wall mountable bracket
- √ Battery back up for 3 days
- √ Easily accessible battery for replacement by the user, if required
- √ Up to 5 year battery life
- √ Complies with BS EN 12830
- √ Complies with RoHS, EU directives and WEEE
- √ Carries UKCA and CE Marking







Always ask for a long-range signal strength test.



We can prove ours to be unrivalled.

Instrumentation specification	
Dimension (Excl. ancillaries)	195 x 148 x 45 mm
Weight	450 grams
Power supply	12 VDC via external universal power supply. Power supply included.
Case material	ABS
Battery back up	Up to 3 days
Memory back up	3 days (up to 100 sensors)
IP rating	IP53
Instrument operating range	0°C to +40°C in a non-condensing RH environment
Storage temperature	-40°C to +85°C
Outputs	Relay 1 Common Alarm (NO or NC) Relay 2 Power Failure (Held closed when powered)

Visual indicators	
LED Indication	Red (Alarm) Yellow (Network Comms) Green (Power/Radio Comms)
Communication	TCP/IP via RJ45 connector

Radio functions	
Radio frequency	433-434 MHz
Radio protocol	Frequency hopping for greater security

IN-NR001F1-ANT - Additional components supplied as standard		
G492	2 x 130mm Whip antenna 2 x Antenna brackets	
Y556	2 x Antenna Cables	
See Ove	erleaf	

Manufactured by Ellab Monitoring Solutions (6 CA X RoHS














Schematic



Additional Components - IN-NR001F1-ANT

(Supplied as standard)





Y556 (x2) **Antenna Cable**









